



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)/(EU) 2020/878

**STHAMEX®-AFFF 6% F-25 #4671**



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**STHAMEX®-AFFF 6% F-25 #4671**

**UFI: X1XD-A0T9-Y008-N3FG**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture  
Fire-extinguishing foam

### 1.3 Details of the supplier of the safety data sheet

|  |  |
|--|--|
| Manufacturer                           | Fabrik chemischer Präparate von Dr. R. Sthamer GmbH & Co. KG |
| Street                                 | Liebigstraße 5   |
| Postal code/City                       | D-22113 Hamburg  |
| Country                                | Deutschland  |
| Telephone                              | +49 (0)40/736168-0   |
| Telefax                                | +49 (0)40/736168-60  |
| E-mail (competent person)              | labor@sthamer.com  |
| Website                                | http://sthamer.com   |
| Department responsible for information | Dr. Prall, +49 (0)40/736168-31                               |
| Emergency telephone number             | +49 (0)40/736168-0   |

### 1.4 Emergency telephone number

GIZ-Nord Poisons Centre of the University of Göttingen

+49 (0)551/19240

## SECTION 2: Hazards identification

The information in this section and in all following sections (unless otherwise stated) refer to the product in the delivery condition (concentrate). The ready-to-use solutions prepared according to the dilution recommendation are to be classified differently (see Section 16).

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]  
Acute Tox 4 H302 - Eye Irrit. 2 H319 - STOT RE 2 H373

### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]  
Hazard pictograms



|                          |                |   |
|--------------------------|----------------|---|
| Signal word              | <b>WARNING</b> |   |
| Hazard statements        | H302           | Harmful if swallowed or if inhaled.   |
|                          | H319           | Causes serious eye irritation.  |
|                          | H373.8         | May cause damage to kidneys through prolonged or repeated exposure if swallowed.                  |
| Precautionary statements | P262           | Do not get in eyes, on skin, or on clothing.  |
|                          | P280           | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/.... |
|                          | P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  |
|                          | P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with             |

P305+P351+P338 water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Classification procedure** Bridging principle "Substantially similar mixtures".

## 2.3 Other hazards

### Endocrine disrupting properties

#### Preparation related information

There are no data available on the mixture itself.

#### Information on ingredients

##### 1,2-ETHANDIOL:

This substance does not have endocrine disrupting properties with respect to humans.

##### 2-(2-BUTOXYETHOXY)ETHANOL:

This substance does not have endocrine disrupting properties with respect to humans.

##### FLUOROSURFACTANT:

This substance does not have endocrine disrupting properties with respect to humans.

### Results of PBT and vPvB assessment

#### Preparation related information

There are no data available on the mixture itself.

#### Information on ingredients

##### 1,2-ETHANDIOL:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

##### 2-(2-BUTOXYETHOXY)ETHANOL:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

##### FLUOROSURFACTANT:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The data refer to the product as delivered. The solutions for use produced according to dilution recommendations are to be classified differently.

Can harm the aquatic fauna when entering surface waters.

Can harm the bacteria population in waste water treatment plants when entering the sewerage system.

Breathing is not possible whilst submerged in the foam. Take care when spraying people!

The product contains fluorosurfactants that are not completely biodegradable.

Concentrated surfactant solutions always pose a danger to aquatic life because they greatly reduce the surface tension of water thus disrupting all life processes associated with it. In sewage treatment plants, for example, the necessary aeration of the sewage stages can be hindered by the strong foam formation.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

#### 1,2-ETHANDIOL

CAS No.: 107-21-1

EC No.: 203-473-3

REACH No.: 01-2119456816-28-XXXX

Concentration: 30 - 40%

Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS07-GHS08; Acute Tox. 4-STOT RE 2; H302-H373.8

#### 2-(2-BUTOXYETHOXY)ETHANOL

CAS No.: 112-34-5

EC No.: 203-961-6

REACH No.: 01-2119475104-44-XXXX

Concentration: 1 - 5%

Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS07; Eye Irrit. 2; H319

#### FLUOROSURFACTANT

Concentration: 0,1 - 1%

The concentration of the raw material is below the limit value above which a substance contained in a mixture must be listed (Regulation (EU) 2020/878, Section 3.2.1, Table 1.1). The listing is voluntary as part of the customer information.

#### **WATER**

CAS No.: 7732-18-5

Concentration: 54 - 68,9%

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The product does not contain any relevant amounts of substances that are on the SVHC list.

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## **SECTION 4: First aid measures**

### **4.1 Description of first aid measures**

#### **General information**

Remove contaminated, saturated clothing immediately.  
Wash thoroughly the body (shower or bath).  
Observe risk of aspiration if vomiting occurs.  
When in doubt or if symptoms are observed, get medical advice.

#### **Following inhalation**

Provide fresh air.  
Consult a doctor immediately in the case of inhaling spray mist and show him packing or label.

#### **In case of skin contact**

Wash immediately with:: Water

#### **After eye contact**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Do NOT induce vomiting.  
If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

### **4.2 Most important symptoms and effects, both acute and delayed**

Dizziness  
Nausea  
Gastrointestinal complaints

### **4.3 Indication of any immediate medical attention and special treatment needed**

If unconscious but breathing normally, place in recovery position and seek medical advice.  
IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

The product itself does not burn.  
Co-ordinate fire-fighting measures to the fire surroundings.

### **5.2 Special hazards arising from the substance or mixture**

The product itself does not burn.

### **5.3 Advice for firefighters**

Regardless of the admixture of a foam agent, extinguishing water can be heavily contaminated with hazardous substances due to the absorption

of fire residues and should therefore, if possible, not enter the sewage system or bodies of water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

### 6.2 Environmental precautions

Cover drains.  
Do not allow to enter into soil/subsoil.  
Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.  
Treat the recovered material as prescribed in the section on waste disposal.  
Suitable material for taking up  
Sand  
Sawdust  
Chemical binding agents, containing acids

### 6.4 Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid  
Skin contact  
Eye contact  
Wear personal protection equipment (refer to section 8).

#### Measures to prevent fire

The product is not  
oxidising  
Combustible  
Flammable  
Explosive  
Highly flammable  
No special fire protection measures are necessary.

#### Environmental precautions

Shafts and sewers must be protected from entry of the product.

#### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Do not store at temperatures above: +50°C

#### Requirements for storage rooms and vessels

Suitable container/equipment material

Refined steel  
Polyethylene (PE)  
Unsuitable container/equipment material  
Aluminium  
Light metal  
Copper  
Zinc  
Alloy, containing copper  
Alloy, contains light metal  
Iron.  
Steel

#### Hints on joint storage

Storage class

12: non-combustible liquids that cannot be assigned to any of the above storage classes

### 7.3 Specific end use(s)

Fire-extinguishing foams based on synthetic surfactants  
Do not use for cleaning purposes.

#### Recommendation

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Substance name: 1,2-ETHANDIOL

CAS No.: 107-21-1

REACH No.: 01-2119456816-28-XXXX

#### United Kingdom

Long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (EN)

short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (EN)

#### European Union

Long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (EC)

short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (EC)

#### Germany

Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): AGW (DE)

short-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): Peak (DE)

#### Ireland

Long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (IE)

short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (IE)

#### Substance name: 2-(2-BUTOXYETHOXY)ETHANOL

CAS No.: 112-34-5

REACH No.: 01-2119475104-44-XXXX

#### United Kingdom

Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (EN)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (EN)

#### European Union

Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (EC)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (EC)

#### Germany

Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): AGW (DE)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): Peak (DE)

#### Ireland

Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (IE)

short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (IE)

## 8.2 Exposure controls

### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.  
 Avoid contact with skin, eyes and clothes.  
 Remove contaminated, saturated clothing.  
 Wash contaminated clothing prior to re-use.  
 Wash hands before breaks and after work.  
 Apply skin care products after work.

### Eye/face protection

Suitable eye protection  
     Eye glasses with side protection  
     goggles  
     Face protection shield  
 Recommended eye protection articles  
     EN 166

### Hand protection

Suitable gloves type  
     Gloves with long cuffs  
 Suitable material  
     NBR (Nitrile rubber)  
     Butyl caoutchouc (butyl rubber)  
 Breakthrough time  
     120 min.  
 Thickness of the glove material  
     > 0.6 mm  
 Recommended glove articles  
     EN ISO 374  
 Breakthrough times and swelling properties of the material must be taken into consideration.

### Body protection

Body protection: not required.

### Respiratory protection

Usually no personal respirative protection necessary.

### Environmental exposure controls

Store concentrate according to national regulations.  
 Do not let the concentrate get into the environment.  
 If possible, hold back the application solution and dispose of after use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|   |   |                           |              |
|---|---|---------------------------|--------------|
| a) Physical state   | : | Liquid                    |              |
| b) Colour   | : | colourless / yellow       |              |
| c) Odour  | : | Glycol, Ether, Surfactant |              |
| d) Melting point/freezing point                             | : | -25°C                     | EN 1568:2018 |
| e) Boiling point or initial boiling point and boiling range | : | > 100°C                   | DIN 51751    |
| f) Flammability   | : | not applicable            |              |
| g) Lower and upper explosion limit/flammability limit       | : | No data available         |              |

|  |       |                              |                           |                  |
|--|-------|------------------------------|---------------------------|------------------|
| h) Flash point                                       | :     | No flash point up to 100 °C. |                           |                  |
| i) Ignition temperature in °C                        | :     | not applicable               |                           |                  |
| j) Decomposition temperature                         | :     | No data available            |                           |                  |
| k) pH  | at °C | 20                           | : 6,5 - 8,5               | DIN 19268        |
| l) Viscosity   | at °C | 20                           | : < 5 mm <sup>2</sup> /s  | DIN 51562 Newton |
|  | at °C | -25                          | : < 30 mm <sup>2</sup> /s | DIN 51562 Newton |
| m) Solubility  | :     | Water: completely miscible   |                           | OECD 105         |
| n) Partition coefficient n-octanol/water (log value) | :     | not applicable               |                           |                  |
| o) Vapour pressure                                   | :     | No data available            |                           |                  |
| p) Density and/or relative density                   | at °C | 20                           | : 1,030 - 1,070 g/ml      | DIN 12791        |
| q) Relative vapour density                           | :     | No data available            |                           |                  |
| r) particle characteristics                          | :     | not applicable               |                           |                  |

## 9.2 Other information

### Information with regard to physical hazard classes

|  |   |   |
|--|---|---|
| a) Explosives  | : | not applicable                          |
| b) Explosives  | : | not applicable                          |
| c) Aerosols  | : | not applicable                          |
| d) Oxidising gas   | : | not applicable                          |
| e) Gases under pressure  | : | not applicable                          |
| f) Flammable liquids   | : | not applicable                          |
| g) Flammable solids  | : | not applicable                          |
| h) Self-reactive substances and mixtures                                     | : | not applicable                          |
| i) Pyrophoric liquids  | : | not applicable                          |
| j) Pyrophoric solids   | : | not applicable                          |
| k) Self-heating substances and mixtures                                      | : | not applicable                          |
| l) Substances or mixtures which, in contact with water, emit flammable gases | : | not applicable                          |
| m) Oxidising liquids   | : | not applicable                          |
| n) Oxidizing solids  | : | not applicable                          |
| o) Organic peroxides   | : | not applicable                          |
| p) Corrosive to metals   | : | See section 7 of the safety data sheet. |
| q) Desensitised explosives   | : | not applicable                          |

### Other safety characteristics

|  |   |   |
|--|---|---|
| a) Mechanical sensitivity                              | : | not applicable  |
| b) Self-accelerating polymerisation temperature (SAPT) | : | not applicable  |
| c) formation of explosible dust/air mixtures           | : | not applicable  |
| d) acid/alkaline reserve                               | : | not applicable  |
| e) Evaporation rate                                    | : | No data available   |
| f) miscibility   | : | Water: completely miscible  |
| g) Conductivity  | : | ~ 1500 µS/cm  |
| h) Corrosiveness                                       | : | Skin corrosion/irritation: none<br>Serious eye damage/irritation: irritant. |
| i) gas group   | : | not applicable  |
| j) Redox potential                                     | : | not applicable  |
| k) radical formation potential                         | : | not applicable  |
| l) photocatalytic properties                           | : | not applicable  |

### Additional hazards

Breathing is not possible whilst submerged in the foam. Take care when spraying people!

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

#### Materials to avoid

Alkali (lye), concentrated  
Alkali metals  
Acid, concentrated  
Oxidising agent, strong  
Reducing agent, strong  
Acid halides

### 10.2 Chemical stability

No special measures are necessary.

### 10.3 Possibility of hazardous reactions

No special measures are necessary.

### 10.4 Conditions to avoid

Do not store at temperatures above: +50°C

### 10.5 Incompatible materials

See section 7. No additional measures necessary.

### 10.6 Hazardous decomposition products

Pyrolysis products, containing fluorine  
Fluorinated hydrocarbons  
Hydrofluoric acid

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test was carried out with a similar mixture.

#### a) Acute toxicity

##### Acute oral toxicity

##### Preparation related information

LD50 > 2000 mg/kg The acute oral toxicity is corresponding to GHS-category 5.

Species Rat

Method Bridging principle "Substantially similar mixtures".

##### Information on ingredients

##### 1,2-ETHANDIOL:

LD50 (7d) 2310 mg/kg ==>

Harmful if swallowed.

(Source: ECHA database «Registered substances»)

##### 2-(2-BUTOXYETHOXY)ETHANOL:

LD50 (14d) 5530 mg/kg ==>

The acute oral toxicity is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

##### FLUOROSURFACTANT:

LD50 (14d) > 5000 mg/kg ==>

The acute oral toxicity is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

##### Acute dermal toxicity

##### Preparation related information



There are no data available on the mixture itself.

#### Information on ingredients

##### *1,2-ETHANDIOL:*

LD50 (14d) > 3500 mg/kg ==>

The acute dermal toxicity is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

##### *2-(2-BUTOXYETHOXY)ETHANOL:*

LD50 (1d) 2764 mg/kg ==>

The acute dermal toxicity is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

##### *FLUOROSURFACTANT:*

LD50 (14d) > 5000 mg/kg ==>

The acute dermal toxicity is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

#### **Acute inhalation toxicity**

##### Preparation related information

There are no data available on the mixture itself.

##### Information on ingredients

##### *1,2-ETHANDIOL:*

LC50 (6h) > 2,5 mg/L ==>

The acute inhalation toxicity related to vapours is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

##### *2-(2-BUTOXYETHOXY)ETHANOL:*

NOEC (2h) 29 ppm ==>

The acute inhalation toxicity related to vapours is corresponding to GHS-category 5.

(Source: ECHA database «Registered substances»)

##### *FLUOROSURFACTANT:*

No data available

No information available. No classification in the above-mentioned hazard class

(Source: Safety Data Sheet)

#### **b) Skin corrosion/irritation**

##### Preparation related information

non-irritant.

Species ---

Method Bridging principle "Substantially similar mixtures".

##### Information on ingredients

##### *1,2-ETHANDIOL:*

non-irritant.

(Source: Safety Data Sheet)

##### *2-(2-BUTOXYETHOXY)ETHANOL:*

non-irritant.

(Source: Safety Data Sheet)

##### *FLUOROSURFACTANT:*

non-irritant.

(Source: Safety Data Sheet)

#### **c) Serious eye damage/irritation**

##### Preparation related information

Causes eye irritation.

Species ---

Method Bridging principle "Substantially similar mixtures".

##### Information on ingredients

##### *1,2-ETHANDIOL:*

non-irritant.

(Source: Safety Data Sheet)

##### *2-(2-BUTOXYETHOXY)ETHANOL:*

Causes serious eye irritation.

(Source: Safety Data Sheet)

**FLUROSURFACTANT:**

Causes serious eye irritation.

(Source: Safety Data Sheet)

**d) Respiratory or skin sensitisation**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

not sensitising.

(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

not sensitising.

(Source: Safety Data Sheet)

**FLUROSURFACTANT:**

not sensitising.

(Source: Safety Data Sheet)

**e) Germ cell mutagenicity**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

No indications of human germ cell mutagenicity exist.

(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

No indications of human germ cell mutagenicity exist.

(Source: Safety Data Sheet)

**FLUROSURFACTANT:**

No indications of human germ cell mutagenicity exist.

(Source: Safety Data Sheet)

**f) Carcinogenicity**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

No indication of human carcinogenicity.

(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

No indication of human carcinogenicity.

(Source: Safety Data Sheet)

**FLUROSURFACTANT:**

No indication of human carcinogenicity.

(Source: Safety Data Sheet)

**g) Reproductive toxicity**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

No indications of human reproductive toxicity exist.

(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

No indications of human reproductive toxicity exist.

(Source: Safety Data Sheet)

**FLUOROSURFACTANT:**

No indications of human reproductive toxicity exist.  
(Source: Safety Data Sheet)

**h) STOT-single exposure**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**FLUOROSURFACTANT:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**i) STOT-repeated exposure**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

May cause damage to kidneys through prolonged or repeated exposure if swallowed.  
(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**FLUOROSURFACTANT:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**j) Aspiration hazard**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

No known symptoms to date.  
(Source: Safety Data Sheet)

**FLUOROSURFACTANT:**

No known symptoms to date.  
(Source: Safety Data Sheet)

## 11.2 Information on other hazards

**Endocrine disrupting properties**

Preparation related information

There are no data available on the mixture itself.

Information on ingredients

**1,2-ETHANDIOL:**

This substance does not have endocrine disrupting properties with respect to humans.  
(Source: Safety Data Sheet)

**2-(2-BUTOXYETHOXY)ETHANOL:**

This substance does not have endocrine disrupting properties with respect to humans.  
(Source: Safety Data Sheet)

**FLUOROSURFACTANT:**

This substance does not have endocrine disrupting properties with respect to humans.  
(Source: Safety Data Sheet)

#### Other information

Breathing is not possible whilst submerged in the foam. Take care when spraying people!

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Acute (short-term) fish toxicity

##### Preparation related information

Effective dose LC50 : > 1000\* mg/L  
Exposure time : 96 h  
Species : *Leuciscus idus* (golden orfe)  
Method : Bridging principle "Substantially similar mixtures".

##### Information on ingredients

###### 1,2-ETHANDIOL:

LC50 (96h) > 72860 mg/L  
(Source: ECHA database «Registered substances»)

###### 2-(2-BUTOXYETHOXY)ETHANOL:

LC50 (96hr) 1300mg/L  
(Source: ECHA database «Registered substances»)

###### FLUOROSURFACTANT:

LC50 (96h) > 35 mg/L  
(Source: ECHA database «Registered substances»)

#### Acute (short-term) toxicity to aquatic invertebrates

##### Preparation related information

Effective dose EC50 : > 100 < 1000\* mg/L  
Exposure time : 48 h  
Species : *Daphnia magna* (Big water flea)  
Method : Bridging principle "Substantially similar mixtures".

##### Information on ingredients

###### 1,2-ETHANDIOL:

EC50 (48h) > 13900 mg/L  
(Source: ECHA database «Registered substances»)

###### 2-(2-BUTOXYETHOXY)ETHANOL:

EC50 (48hr) > 1101 mg/L  
(Source: ECHA database «Registered substances»)

###### FLUOROSURFACTANT:

EC50 (48h) 144 mg/L  
(Source: ECHA database «Registered substances»)

#### Acute (short-term) toxicity to algae and cyanobacteria

##### Preparation related information

Effective dose EC50 : > 100 < 1000\* mg/L  
Exposure time : 72 h  
Species : *Scenedesmus subspicatus*  
Method : Bridging principle "Substantially similar mixtures".

##### Information on ingredients

###### 1,2-ETHANDIOL:

EC50 (96h) > 6500 mg/L; NOEC (96h) 479 mg/L  
(Source: ECHA database «Registered substances»)

###### 2-(2-BUTOXYETHOXY)ETHANOL:

EC50 (72h) 1 101 mg/L  
(Source: ECHA database «Registered substances»)

###### FLUOROSURFACTANT:

EC50 (72h) 3,26 mg/L  
(Source: ECHA database «Registered substances»)

## Effects in sewage plants

### Preparation related information

Analytical method : Respiratory inhibition of municipal activated sludge.  
 10000\* mg/L ► Concentration : 100% Dilution : > 100\*  
 166600\* mg/L ► Concentration : 6% Dilution : > 6\*  
 Method : Bridging principle "Substantially similar mixtures".

### Information on ingredients

#### 1,2-ETHANDIOL:

NOEC (0,5h) > 1995 mg/L  
(Source: ECHA database «Registered substances»)

#### 2-(2-BUTOXYETHOXY)ETHANOL:

NOEC (0,5h) 1995 mg/L  
(Source: ECHA database «Registered substances»)

#### FLUOROSURFACTANT:

EC50 (3h) >1000 mg/L  
(Source: ECHA database «Registered substances»)

The product contains fluorosurfactants that are not completely biodegradable.  
Some of the components are poorly biodegradable.

## Remark

Observe local regulations concerning effluent treatment.  
Special pre-treatments are necessary.

\* The statement is derived from products of similar structure or composition.

## 12.2 Persistence and degradability

### Biodegradation

#### Preparation related information

Readily biodegradable (according to OECD criteria).  
 Additional information : The product contains fluorosurfactants that are not completely biodegradable.  
 Degradation rate : > 70%\*  
 Test duration : 28 d  
 Analytical method : BOD (% of COD).  
 Method : Bridging principle "Substantially similar mixtures".  
 Type : Aerobic biological treatment

#### Information on ingredients

##### 1,2-ETHANDIOL:

> 90% (10d) OECD 301A  
 Readily biodegradable (according to OECD criteria).  
 (Source: ECHA database «Registered substances»)

##### 2-(2-BUTOXYETHOXY)ETHANOL:

92% (28d) OECD 301 E  
 Readily biodegradable (according to OECD criteria).  
 (Source: ECHA database «Registered substances»)

##### FLUOROSURFACTANT:

0% (28d) OECD 301 F  
 Not readily biodegradable (according to OECD criteria)  
 (Source: ECHA database «Registered substances»)

### Chemical oxygen demand (COD)

< 500000\* mg \*O<sub>2</sub>/L ► Concentration : 100% Method : DIN EN 38409-H41-1  
 < 30000\* mg \*O<sub>2</sub>/L ► Concentration : 6% Method : DIN EN 38409-H41-1

## Biochemical oxygen demand

|                                 |                 |        |        |               |               |     |
|---------------------------------|-----------------|--------|--------|---------------|---------------|-----|
| < 300000* mg *O <sub>2</sub> /L | ► Concentration | : 100% | Method | DIN EN 1899-1 | Test duration | 5 d |
| < 18000* mg *O <sub>2</sub> /L  | ► Concentration | : 6%   | Method | DIN EN 1899-1 | Test duration | 5 d |

## BOD<sub>5</sub>/COD ratio

60%

\* The statement is derived from products of similar structure or composition.

## 12.3 Bioaccumulative potential

### Preparation related information

There are no data available on the mixture itself.

### Information on ingredients

#### 1,2-ETHANDIOL:

log Kow -1,36

No indication of bioaccumulation potential.

(Source: ECHA database «Registered substances»)

#### 2-(2-BUTOXYETHOXY)ETHANOL:

log Kow < 3

No indication of bioaccumulation potential.

(Source: ECHA database «Registered substances»)

#### FLUROSURFACTANT:

BCF < 5,1

No indication of bioaccumulation potential.

(Source: ECHA database «Registered substances»)

## 12.4 Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

## 12.5 Results of PBT and vPvB assessment

### Preparation related information

There are no data available on the mixture itself.

### Information on ingredients

#### 1,2-ETHANDIOL:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

(Source: Safety Data Sheet)

#### 2-(2-BUTOXYETHOXY)ETHANOL:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

(Source: Safety Data Sheet)

#### FLUROSURFACTANT:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

(Source: Safety Data Sheet)

## 12.6 Endocrine disrupting properties

### Preparation related information

There are no data available on the mixture itself.

### Information on ingredients

#### 1,2-ETHANDIOL:

This substance does not have endocrine disrupting properties with respect to humans.

(Source: Safety Data Sheet)

#### 2-(2-BUTOXYETHOXY)ETHANOL:

This substance does not have endocrine disrupting properties with respect to humans.

(Source: Safety Data Sheet)

#### FLUROSURFACTANT:

This substance does not have endocrine disrupting properties with respect to humans.

(Source: Safety Data Sheet)

## 12.7 Other adverse effects

The product contains fluorosurfactants that are not completely biodegradable.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Dispose of waste according to applicable legislation.

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

- 16 WASTES NOT OTHERWISE SPECIFIED IN THE LIST
- 1603 off-specification batches and unused products
- 160305\* organic wastes containing dangerous substances

##### Waste code packaging

- 15 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
- 1501 packaging (including separately collected municipal packaging waste)
- 150110\* packaging containing residues of or contaminated by dangerous substances

#### Remark

Delivery to an approved waste disposal company.  
Send to a hazardous waste incinerator facility under observation of official regulations.

## SECTION 14: Transport information

### 14.1 UN number or ID number

none

### 14.2 UN proper shipping name

not applicable

### 14.3 Transport hazard class(es)

Land transport (ADR/RID)  
No dangerous good in sense of these transport regulations.  
Inland waterway craft (ADN)  
No dangerous good in sense of these transport regulations.  
Sea transport (IMDG)  
No dangerous good in sense of these transport regulations.  
Air transport (ICAO-TI / IATA-DGR)  
No dangerous good in sense of these transport regulations.

### 14.4 Packing group

not applicable

### 14.5 Environmental hazards

none  
Marine pollutant : No

### 14.6 Special precautions for user

none

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

**Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer**

not applicable

**Regulation (EU) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals**

not applicable

**Directive 96/59/EC (PCB-guideline)**

not applicable

**Regulation (EC) No. 648/2004 [Detergents regulation]**

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

**Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).**

Volatile organic compounds (VOC) content in percent by weight: max. 5

**Regulation (EC) No. 842/2006 on certain fluorinated greenhouse gases**

not applicable

**Regulation (EC) No 2019/1021 [POP/PFOS-Regulation]**

The product fulfills all requirements and limit values of this EU regulation.

The validity of this statement refers to the assessment period from January 1st, 2021. Separate information must be obtained from the manufacturer for the time before that.

**Regulation (EC) No 2020/784 [PFOA-Regulation]**

The product fulfills all requirements and limit values of this EU regulation.

The validity of this statement refers to the assessment period from January 1st, 2021. Separate information must be obtained from the manufacturer for the time before that.

**Regulation (EC) No 2021/1297 [C9-C14-PFCA-Regulation]**

The product fulfills all requirements and limit values of this EU regulation.

The validity of this statement refers to the assessment period from January 1st, 2021. Separate information must be obtained from the manufacturer for the time before that.

#### National regulations

**Störfallverordnung (12. BlmschV)**

This product is not classified according to StörfallV.

#### Water hazard class

slightly hazardous to water (WGK 1)

Self-classification according to AwSV (mixture).

**Annex Chemikalien-Verbotsverordnung (ChemVerbotsV)**

not applicable

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information



The product described in the Safety Data Sheet may only be used for its intended purpose. For exercises please observe the recommendations of the technical committee of BMU/LAMA. The details in this safety data sheet are based on today's stand of our knowledge and is applicable to the product with regard to appropriate safety precautions. They do not represent any guarantee of the properties of the product and do not establish any legal relationship.

Please refer to our internet website for more information. [www.sthamer.com](http://www.sthamer.com)


The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Classification for the 6% application solution of STHAMEX-AFFF 6% F-25 #4671:**

The information in this safety data sheet only applies to the unchanged product in the delivery condition. An application solution prepared therefrom by diluting it with water as recommended usually has significantly fewer hazardous features due to the dilution principle and can even be unclassified. See also the environmental data sheet provided by us.

**Full text of Hazard- and EU Hazard-statements**

H302 Harmful if swallowed or if inhaled.  
H319 Causes serious eye irritation.  
H373.8 May cause damage to kidneys through prolonged or repeated exposure if swallowed.

|  |   |  |   |  |   |
|--|---|--|---|--|---|
| <b>Main Office Hamburg</b><br>Liebigstr. 5<br>22113 Hamburg<br>GERMANY<br>Tel.: +49 (0)40 73 61 68-0<br>Fax: +49 (0)40 73 61 68-60 | <b>Sales Office Hannover</b><br>Hartenbrakenstr. 54<br>30659 Hannover<br>GERMANY<br>Tel.: +49 (0)511 768 358-45<br>Fax: +49 (0)511 768 358-46 | <b>Sales Office Jena</b><br>Carl-Pulfrich-Str. 1<br>07745 Jena<br>GERMANY<br>Tel.: +49 (0)3641 63538-57<br>Fax: +49 (0)3641 63538-59 | <b>Office Frankenthal</b><br>Siemensstr. 4<br>67227 Frankenthal<br>GERMANY<br>Tel.: +49 (0)6233 3796-605<br>Fax: +49 (0)6233 3796-622 | <a href="mailto:info@sthamer.com">info@sthamer.com</a><br><a href="http://www.sthamer.com">www.sthamer.com</a> |  |
|--|---|--|---|--|---|